## **CLAIMS**

Claim 1. (Currently amended) A modular rack-mounting system comprising:

a frame <u>suitable for mounting on an instrument rack, the frame</u> forming a central compartment <u>having a top, a bottom and two sides;</u>

a sleeve within which an instrument may be mounted, the sleeve being configured to be inserted and fit within the central compartment; and means for detachably securing the sleeve within the frame central

Claim 2. (Currently amended) The modular rack-mounting system as recited in claim 1 wherein the securing means comprises:

a spring mounted on the frame;

compartment.

a button mounted on the spring and extending through a hole in the frame into the central compartment to engage a corresponding hole in the sleeve when the sleeve is inserted within the central compartment, the button being accessible from the interior of the sleeve so that, when the button is depressed from the interior of the sleeve, the sleeve may be readily removed from the central compartment.

Claim 3. (Previously amended) The modular rack-mounting system as recited in claim 1 wherein the frame comprises:

a left portion having fingers; and

a right portion having fingers, the fingers of the left and right portions interlocking with each other to assure rigidity of the frame.

Claim 4. (Currently amended) The modular rack-mounting system as recited in claim 1 further comprising a central rib mounted within the frame to <u>form a central</u> wall that divides the central compartment into two <u>equal</u> compartments, the sleeve being configured to fit within either compartment.

Claim 5. (Currently amended) The modular rack-mounting system as recited in claim 4 wherein the securing means comprises:

an inner spring mounted on the central rib;

a button mounted on the <u>inner</u> spring to engage a hole in the sleeve when the sleeve is inserted into the <u>one of the two</u> compartments, the button being accessible from the interior of the sleeve so that, when the button is depressed from the interior of the sleeve, the sleeve may be readily removed from the one compartment.

Claim 6. (Previously amended) The modular rack-mounting system as recited in claims 4, 5 or 7 wherein the securing means comprises:

an outer spring mounted on the frame;

a button mounted on the <u>outer</u> spring and extending through a hole in the frame <u>into one of the two compartments</u> to engage a corresponding hole in the sleeve when the sleeve is inserted within the <u>one</u> compartment.

Claim 7. (Presently Amended) The modular rack-mounting system as recited in claim 4 wherein the securing means comprises:

a first <u>inner</u> spring mounted on a first side of the central rib having a first button mounted on one end; and

a second <u>inner</u> spring mounted on a second side of the central rib in an opposing manner to the first <u>inner</u> spring and having a second button mounted on one end, the first and second buttons being mounted to engage corresponding holes in respective sleeves when the respective sleeves are inserted into the two compartments, the central rib having a <u>rib</u> hole between the button ends of the <u>first</u> and second inner springs to allow the button ends to deform into the <u>rib</u> hole when the buttons are depressed <u>for removing the sleeves from the compartments</u>.